

AMENDMENTS TO CLAIMS

This listing of claims will replace all prior versions, and listings, of claims in the application.

1. (Previously presented) A server having access to at least one set of files (S_i) generated by slicing an encoded multimedia content in at least one set of slicing positions ($\{T_{i,1}, \dots, T_{i,K}\}$) forming slices that can be decoded independently one from the other, and by enclosing each slice in a file ($F_{i,j}$) thereby generating at least one set of files, said server comprising:

means for receiving an initial request directed to a multimedia content from a client device,

means for sending a document to the client device upon reception of said initial request, said document causing the client device to repetitively send a fetching request designating said multimedia content, wherein said fetching request does not identify a specific file to be sent from the server to the client device,

means for selecting at least one file amongst said set(s) of files, upon reception of said fetching requests from the client device, and

means for downloading the selected file(s) to the client device.

2. (Previously presented) A server as claimed in claim 1, wherein said document contains a resource identifier designating said multimedia content and specific to the client device, and causes the client device to repetitively send fetching requests containing said resource identifier, and said server further comprises:

means, activated upon reception of a first fetching request, for selecting a first file to be downloaded amongst said set(s) of files and for keeping a record of said resource identifier together with an indication of the selected file, and

means, activated upon reception of subsequent fetching requests, for checking said record in order to select the next file to be downloaded and for updating said record.

3. (Currently amended) A server as in claim 1, wherein said document comprises an instruction for the client device to send a subsequent fetching request before the end of the playback of the file that was downloaded in response to the previous fetching request.

4. (Previously presented) A server as claimed in claim 2, further comprising means for selecting a file to download based on a jump indication contained in said fetching request.

5. (Previously presented) A method for downloading an encoded multimedia content to a client device, said method comprising the steps of:

encoding a multimedia content,

slicing said encoded multimedia content in at least one set of slicing positions forming at least one set of slices that can be decoded independently one from the other,

enclosing each slice in a file thereby generating at least one set of files,

receiving an initial request from the client device, said initial request being directed to said multimedia content,

sending a document to the client device upon reception of said initial request, said document causing the client device to repetitively send a fetching request designating said multimedia content, wherein said fetching request does not identify a specific file to be sent from the server to the client device,

selecting at least one file amongst said set(s) of files, upon reception of said fetching requests from the client device, and

downloading the selected file(s) to the client device.

6. (Previously presented) A method as claimed in claim 5, wherein said document contains a resource identifier designating said multimedia content and specific to the client device, and causes the client device to repetitively send fetching requests containing said resource identifier, said method further comprises the steps of:

upon reception of a first fetching request, selecting a first file to be downloaded amongst said set(s) of files and keeping a record of said resource identifier together with an indication of the selected file, and

upon reception of subsequent fetching requests, checking said record in order to select the next file to be downloaded and updating said record.

7. (Currently amended) A method as in claim 5, wherein said document comprises an instruction for the client device to send a subsequent fetching request before the end of the

playback of the file that was downloaded in response to the previous fetching request.

8. (Original) A method as claimed in claim 6 wherein said step of selecting a file to download takes into account a jump indication contained in the received fetching request.

9. (Currently amended) A network system comprising:

- a source for acquiring a multimedia content,
- an encoder encoding said multimedia content,
- a slicer for slicing said encoded multimedia content in at least one set of slicing positions forming at least one set of slices that can be decoded independently one from the other, and for enclosing each slice in a file thereby generating at least one set of files,
- a distribution network,
- an access provider for providing a client device with an access to said distribution network, and
- a server ~~as~~as in claim 1.

10. (Cancelled).